

Implementation of a Low Cost PWM Voltage Source Multilevel Inverter

Neelashetty Kashappa¹, Ramesh Reddy K²

¹EEE Department, GNDEC, Bidar, Karnataka, India

²EEE Department, GNITS, Shakepet, Hyderabad, India

ABSTRACT

This paper deals with the implementation of a new low cost five level inverter which converts the 9V DC to 9V AC. Complexity and cost of the system are reduced as compared to other configurations by using only five switches, eight diodes and two capacitors. In the proposed scheme, control circuit is designed using 89C51 microcontroller to produce sinusoidal pulse width modulation (SPWM). The developed system can be operated at very high modulation frequencies of upto 200 KHz producing sustained output. This single-phase five level low cost inverter is developed and tested in power electronics laboratory. The waveforms are recorded and analyzed using Digital Storage Oscilloscope TDS2024B. The proposed scheme is very economic and less complex and the experimental results shows that it has low total harmonic distortion.

Keywords: *Low cost, Pulse Width Modulation, Multilevel inverter, Total Harmonic Distortion.*

1. INTRODUCTION

The field of power electronics has witnessed tremendous development in recent years. The advent of new power controlled devices has contributed significantly to an enhanced performance of the existing power converters. The birth of innovative converter/inverter topologies has paved the way for further improvement in the overall power quality. Multilevel inverter has gained much attention and became more popular now a day due its high quality output waveforms, low switching losses and high voltage capability, less EMI and reduced harmonics [1]. Using multilevel inverters specific harmonics can be eliminated in order to generate less distorted sinusoidal waveform. The main features of multilevel inverters are summarized as (i) The staircase waveform of a multilevel inverter not only removes certain specific harmonics, but it also reduces the dv/dt stress. (ii) Smaller common mode (CM) voltage of multilevel inverter helps to reduce the stress in the bearing of a motor connected to multilevel inverter drive. (iii) Multilevel inverter has a capability to operate both at high switching frequency and fundamental switching frequency [1-2]. The multilevel inverters can be used medium voltage to high voltage range applications. It covers wide range areas including Uninterruptible Power Supplies (UPS), DC power source utilization, induction heating, high power motor drives, HVDC power transmission, electric vehicle drives, power distribution etc. Multilevel inverters work as voltage synthesizers. That is many smaller voltage levels synthesize high output power. The main drawback of multilevel inverter is that, as the number of levels are increased, the amount of diodes,

switching devices and other required components increases causing the inverter more complex and costly[3].

A survey of topologies, control and applications of multilevel inverters is given by Rodriguez and Peng (2002). The way to balance Dc link voltages of diode clamped multilevel converters is given by Marchesoni and Tensa (2002). UPFC based chopper stabilized diode clamped multilevel converters is given by Chen Mwynyiwiwa (2000). Pulse width modulation for diode clamped multilevel converters is given by Venkatramanand (2002). Fundamental characteristics of Five-level converter for induction motor drives is given by Ishida and Sasagawa (2002). Control strategies for multilevel voltage source converters is given by J Von (2000). Diode clamped multilevel inverter for statcom is given by Chengand (2002). Simulation optimization system for multilevel inverters is given by tourkhani and Meynard (1999). Performance of medium voltage multilevel inverter is given by Hilland Harbourt (1999). Comparison of 3-level and 9-level inverter-fed induction motor drives is given by Neelashetty K and Ramesh Reddy K (2010). Performance of voltage source multilevel inverter-fed induction motor drive is given by Neelashetty K and Ramesh Reddy K (2011). Investigations on 7-level and 9-level inverter-fed induction motor drives is given by Neelashetty K and Ramesh Reddy K (2011). Literature survey does not deal with cost, complexity as well as the Total Harmonic Distortion (THD) of a multi level inverter. Therefore this work is taken up and it deals with the implementation of a low cost pulse width modulation voltage source five level inverter.

2. IMPLEMENTATION OF FIVE-LEVEL INVERTER

2.1 Total Harmonic Distortion

The Total Harmonic Distortion (THD) is a measure of amount of harmonic distortion present. It is defined as the ratio of sum of the power of all harmonic components to the power of fundamental frequency. In other words total harmonic distortion is the measurement of extent of that distortion.

Total harmonic distortion for the power signal can be expressed as follows

$$THD = \frac{\sum P_2 + P_3 + P_4 + \dots + P_n}{P_1} \quad (1)$$

Total harmonic distortion for the voltage signal can be expressed as follows

$$THD = \frac{\sum V_2^2 + V_3^2 + V_4^2 + \dots + V_n^2}{V_1^2} \quad (2)$$

Where, V_n means RMS voltage of n^{th} harmonic, V_1 is the voltage at the fundamental frequency.

The simplified approach for the THD is given by

$$THD = \frac{V_{RMS}^2 - V_1^2}{V_1^2} \quad (3)$$

Many times amplitude ratio is taken into consideration for the measurement of total harmonic distortion and is given by

$$THD = \frac{\sqrt{V_2^2 + V_3^2 + V_4^2 + \dots + V_n^2}}{V_1} \quad (4)$$

This latter definition is the one commonly used in audio distortion specification.

Choosing appropriate conducting angles for the H-bridges can eliminate a specific harmonic in the output waveform (Rashid, 2004). The required conduction angles can be calculated by analyzing the output phase voltage of cascaded inverter assuming that four H-bridges have been used. The output voltage V_{ao} can be given as

$$V_{ao} = V_{a1} + V_{a2} + V_{a3} + V_{a4} + V_{a5} \quad (5)$$

Since the wave is symmetrical along the x-axis, both Fourier coefficients A_0 and A_n are zero. Just the analysis of

B_n is required. It is given as; analysis of B_n is required. It is given as;

$$B_n = \{[4V_{dc}]/n\pi\} \left[\sum_{j=1}^{\infty} \text{Cos}(n\alpha_j) \right] \quad (6)$$

j =Number of DC sources.
 n =Odd harmonic order.

Therefore, to choose the conducting angle of each H-bridge precisely, it is necessary to select the harmonics with certain amplitude and order, which needs to be eliminated. To eliminate 5th, 7th, and 11th harmonics and to provide the peak fundamental of the phase voltage equal to 80 percent of its maximum value, it needs to solve the following equation with modulation index $M=0.8$

$$\text{Cos } 5\alpha_1 + \text{Cos } 5\alpha_2 + \text{Cos } 5\alpha_3 + \text{Cos } 5\alpha_4 = 0$$

$$\text{Cos } 7\alpha_1 + \text{Cos } 7\alpha_2 + \text{Cos } 7\alpha_3 + \text{Cos } 7\alpha_4 = 0$$

$$\text{Cos } 11\alpha_1 + \text{Cos } 11\alpha_2 + \text{Cos } 11\alpha_3 + \text{Cos } 11\alpha_4 = 0$$

$$\text{Cos } \alpha_1 + \text{Cos } \alpha_2 + \text{Cos } \alpha_3 + \text{Cos } \alpha_4 = 0.8^*4$$

In this case, one of the very efficiently used control strategies is the space vector based control, which can be implemented using digital signal processor.

2.2 System Overview

The block representation of multilevel inverter is shown in figure1. It consists of a 9V battery, five level H-bridge inverter, step-down transformer, control circuit and load. The elementary components of single-phase multilevel inverter are MOSFETs, diodes and capacitors. A 9V DC source is given to the H-bridge multilevel inverter through two capacitors. These two capacitors functions as voltage dividers. The control circuit mainly consists of 89C51 microcontroller and optoisolator. The control circuit not only controls the system, but can also generate the pulse width modulation (PWM) signals. The most efficient method of controlling the output voltage is to incorporate the PWM signals within the inverter. These PWM signals are given to the gate of each MOSFET through the gate drive circuit. The switching of the MOSFETs is controlled by the PWM signals. This switching results the ac output voltage. This output voltage is synthesized by different small voltage levels to get a very high quality staircase output waveform. This waveform has reduced harmonic and switching losses. This high quality output voltage can be used to drive the load. The inverter has the ability to drive both resistive as well as inductive loads. Hence the proposed scheme can be used to control the induction motor. The main advantage of this proposed scheme is that, it can also be used for three phase applications. As all electronic circuits works with low DC voltage a power supply unit is required to provide the appropriate voltage supply for their proper functioning. This power supply unit consists of transformer, rectifier, filter and

regulator. AC voltage of typically 230V RMS is connected to a transformer which steps down the voltage to the desired AC voltage. The diode rectifier provides the full wave rectified voltage that is initially filtered by a simple capacitor filter to produce a DC voltage. This resulting DC voltage usually has some ripple or AC voltage variation. A regulator circuit can use this DC input to provide DC voltage that not only has much less ripple voltage but also remains at the same DC value, even when the input DC voltage varies somewhat or the load connected to the output DC voltage changes.




Fig 1. Block diagram of proposed system

3. POWER AND CONTROL CIRCUIT DESIGN

The power circuit is designed using MOSFETs, capacitors and diodes. Single-phase H-bridge topology is used in this work. The biggest advantage of this proposed scheme is that, the components used in the design are very less compared to other topologies. This topology achieves nearly 40% reduction in the components. This reduces the complexity and cost of the system. Hence it can be efficiently used for the medium power applications. The control circuit is designed using ATMEL 89C51 microcontroller. The microcontroller is programmed using C language. A Keil C is used as integrated development environment for developing the required embedded system. The control circuit is mainly responsible for generating the pulse width modulation (PWM) signals given to gate of each MOSFET through separate optoisolator and gate drive circuit. These PWM signals controls the turning on and off of the MOSFETs. A dead time of 2 microseconds is given between turning on and

off of MOSFETs and vice versa. In this proposed scheme a duty cycle of 50% is used.

4. EXPERIMENTAL RESULTS

A new low cost H-bridge multilevel inverter is developed and tested in power electronics laboratory. The various waveforms are analyzed and recorded using digital storage oscilloscope. The experimental waveforms for the output current of the 3-level is shown in fig 2a and the corresponding FFT spectrum is shown in fig 2b. The experimental waveforms for the output current of the 5-level is shown in fig 3a and the corresponding FFT spectrum is shown in fig 3b. From the spectrum it can be seen that the THD in 3-level inverter is 7.46 percent and the THD in the 5-level inverter is 3.65 percent. Thus the THD is reduced by 51 percent. The output waveform of 5-level inverter is staircase in its nature and has very high quality.




Fig 2a. Waveform of 3-level inverter output




Fig 2b. FFT analysis for 3-level inverter output




Fig 3a. Waveforms of 5-level inverter output




Fig 3b. FFT analysis for 5-level inverter output




Fig 4. The photograph of hardwired system

The proposed H-bridge five level inverter converts 9V DC to 9V AC With reduced cost, less complexity and low THD compared to a 3-level inverter. The photograph of the top view of the hardwired system is shown in fig 4.

5. CONCLUSION

A laboratory prototype of H-bridge five level inverter is developed. The proposed topology has successfully converted 9V DC to 9V AC with reduced cost, less complexity and low THD. The experimental results of 5-level inverter system are compared with the 3-level inverter system. It is observed that the total harmonic distortion produced by 5-level inverter system is less than that of a 3-level voltage source inverter system. The THD is reduced by 51 percent. Therefore the heating due to 5-level inverter system is less than the 3-level inverter system. The proposed system is economic, efficient and reliable and can be used for medium as well as high power applications. The experimental waveforms and the FFT spectrums are presented. The hardware module is implemented using embedded controller.

ACKNOWLEDGEMENT

The experimental study was done at power electronics laboratory in GND Engineering College, Bidar. The authors would like to thank the HOD, Electrical and Electronics engineering department of GNDEC Bidar for providing the facilities. The authors are also thankful to the Principal, Chairman and vice chairperson of GND engineering college, Bidar for their constant support and motivation in the research activities.

AUTHORS BIOGRAPHY



Neelashetty Kashappa was born in Karnataka, India. He has received his B.E degree in Electrical Engineering from University's Visvesvaraya College of Engineering (UVCE) Bangalore, India in 1996 and M.Tech degree in Power Electronics from PDA College of Engineering, Gulbarga, India in 2006. Currently he is an Assistant professor with the department of Electrical and Electronics Engineering, Guru Nanak Dev Engineering College, Bidar. He has 16 years of teaching experience. He is presently a research scholar in JNTU, Hyderabad. He is working in the area of harmonic reduction in induction motor drives.



K Ramesh Reddy was born in Andhra Pradesh, India. He received the B. Tech degree in Electrical and Electronics engineering from Andhra University, India in 1985 and M.Tech degree from NIT, Warangal, India in 1989 and Ph. D from S.V. University, Tirupati, India in 2004. Presently he is a Professor and Head with department of Electrical and Electronics Engineering, G. Narayanamma Institute of Technology and Science, Hyderabad, India. He has published 35 papers in National and International conferences. He is having 25 years of teaching experience. He is a reviewer for IEEE transactions on Power Delivery and Journal of Institution of Engineers (India), India. He received 'Best Engineering Teacher Award' from Indian

Society for Technical Education, New Delhi for the year 2007.

REFERENCES

- [1] J. Rodriguez, J.S. Lai, and F. Z. Peng “Multi-level inverter: a survey of topologies, controls, and applications,” IEEE Trans. on Ind. Electronics, vol.49 no.4, pp.724–738, Aug 2002.
- [2] M. Marchesoni and P. Tensa, “Diode-clamped multi level converters: a practicable way to balance DC-link voltages,” IEEE Transactions on Industrial Electronics, vol 49, no.4, pp 752–765, Aug 2002.
- [3] Y. Chen, B. Mwinyiwiwa, Z. Wolanski, and B.-T.Ooi, “Unified Power Flow Controller (UPFC) based on chopper stabilized diode clamped multi level converters”, IEEE Trans. on Power Electronics. vol 15, no.2, pp. 258–267, Mar.2000.
- [4] G. Venkataramananand, A.Bendre, “Reciprocity-transpositions based sinusoidal pulse width modulation for diode clamped multi level converters” IEEE Trans. on Ind. Electronics, vol 49, no.5, pp1035-1047, Oct 2002.
- [5] T. Ishida, K. Matsuse, K. Sasagawa, and L. Huang, “Fundamental Characteristics of a Five-Level Double Converter for Induction Motor Drives” IEEE transac on industrial electronics, vol 49, no.4, pp.775–782, Aug 2002.
- [6] J.von, Blohand R.W. DeDoncker, “Control Strategies for Multilevel Voltage Source Converter for Medium Voltage DC Transmission Systems” in Proceedings of 26th Annual Conf. IEEE Industrial Electronics, Oct 2000, vol.2, pp.1358–1364.
- [7] Y. Chengand, M. L. Crow, “A Diode-Clamped Multi-Level Inverter for the Statcom/BESS” in Proc. IEEE PES Winter Meeting, Jan 2002, vol 1, pp 470–475.
- [8] F. Tourkhani, P. Viarouge and T. A. Meynard, “A simulation optimization system for the optical design of a multilevel inverter” IEEE Transactions on Power Electronics, vol.14, no.6, pp. 1037–1045, Nov.1999.
- [9] W. A. Hilland C. D. Harbourt, “Performance of medium voltage multi level inverters,” in Conf Rec. IEEE-Oct1999, pp.1186–1192.
- [10] Neelashetty k and Ramesh Reddy K, “Comparison of 3-level and 9-level Inverter-fed Induction motor Drives,” in Research Journal of Applied Sciences, Engineering and Technology. Vol 3, no. 2, pp 123-131, 2011.
- [11] Neelashetty k and Ramesh Reddy k, “Performance of Voltage Source Multilevel Inverter-fed Induction Motor Drives,” in International Journal of Asian Research Publishing Network. Vol.6, no.6, pp 50-57, 2011.
- [12] Neelashetty k and Ramesh Reddy, “Investigations on 7-level and 9-level Inverter-fed Induction Motor Drives” in International Journal of Computational Intelligence and Information Society. Vol 2, no. 11, 2011
- [13] Rashid, M.H., ‘Power Electronics – Circuits, Device and Applications.
- [14] Singh M.D and Kanchandani- ‘Power electronic devices and application.